



### Pulse Oximetry - Summary Report

**Patient Information**

TEST PATIENT  
021 SW 21 ST  
DELRAY, FL 32025  
**Phone:** (202) 428-0344  
**Gender:** Female  
**Date of Birth:** 11/05/2002

**Physician Information**

Dr. Virtuox  
123 MAIN STREET 6TH  
Anytown, AR 123456789  
**Phone:** (333) 333-3333  
**Fax:** (211) 200-0000  
**NPI:** 1999999999

**Provider Information**

VirtuOx Test Account  
5716 NW 125 Terrace  
Coral Springs, FL 32025  
**Phone:** (111) 111-1111  
**Fax:** (223) 655-5555

**Start:** 4/5/2017 9:55:47 AM

**End:** 4/5/2017 11:15:52 AM

**Duration:** 1:20:05

**Test Condition:** Overnight on Room Air



SpO2 Data		Pulse Data		Considerations
Time ≤ 88%	0.2 MIN	High pulse	123.0 BPM	<b>Oxygen</b> It appears this patient does NOT qualify for Nocturnal Oxygen per Medicare guidelines.
Time ≤ 89%	0.2 MIN	Low pulse	28.0 BPM	
High SpO2	99.0%	Average Pulse	102.0 MIN	
Low SpO2	84.0%	Bradycardia time	0.7 MIN	
Basal SpO2	97.8%	Percent time in Bradycardia	0.0%	
Delta SpO2	0.3 MIN	Tachycardia time	54.1 MIN	
Time consecutive ≤ 88%	0.1 MIN	Percent time in Tachycardia	1.1%	
Awake SpO2	98.0%	Artifact events	0.0 MIN	
Artifact events	0.0 MIN			
SpO2 ODI Data				
Oxygen Desaturation Events (3%)	9			
Oxygen Desaturation Index (ODI)	6			
<b>A desaturation event is defined as a decrease in SpO2 ≥ 3 percentage points within a 3 minute window of onset.</b>				

**Medicare / Private Insurance Qualifications:**

**Group I:** An SpO2 at or below 88 percent, for at least 5 minutes taken during sleep who's SpO2 is at or above 89 percent while awake

**Group I Delta:** A decrease in SpO2 of more than 5 percent from basal SpO2, for at least 5 minutes with symptoms or signs to hypoxemia

**Group II:** An SpO2 of 89 percent during sleep for at least 5 minutes with any of the following: 1) Dependent edema suggesting congestive heart failure, or 2) Pulmonary hypertension or cor pulmonale, determined by measurement of pulmonary artery pressure, gated blood pool scan, echocardiogram, or "P" pulmonale on EKG (P wave greater than 3 mm in standard leads II, III, or AVF), or 3) Erythrocythemia with a hematocrit greater than 56 percent.



**Oximeter:** VPOD-Handheld, A 1 second high resolution pulse oximeter (HRPO) **Serial #:** 56475467